



We are Shandong Guard Zenith International Trade Co., Ltd. Headquartered in Jinan, Shandong Province, China, our company was founded in 2004 and covers a total area of 100,000 square meters. We are committed to continuous innovation, having obtained a wide range of medical device certifications and patent certificates over the years. As a dedicated professional wheelchair manufacturer, we stay focused on delivering high-quality products in this field.

We conduct strict quality control throughout every stage of the production process, including raw material stamping, bending, forming, and welding. Notably, our welding operations have evolved from traditional manual work to an advanced model that combines intelligent machine welding with manual touch-up welding—ensuring both efficiency and precision. All frontline production workers boast more than 10 years of hands-on experience, laying a solid foundation for product excellence with their proficient skills.

After the final assembly, we conduct comprehensive quality inspections: these include testing core performance indicators such as braking distance and turning radius, as well as carrying out practical scenario tests, covering flat roads, slopes, ditch crossings, and ridge climbing. These tests fully verify the wheelchair's speed stability and noise levels, guaranteeing that every unit meets rigorous quality standards. Our monthly production capacity reaches 6,000 units, enabling us to steadily meet market demand.

ELECTRIC *WHEELCHAIR*



ALUMINUM AUTO FOLDING/RECLINING WHEELCHAIR FEATURES

铝合金智能遥控电动轮椅



智能遥控，一键折叠，电动可躺，舒适快捷，
安全稳定，时尚大方，手推电动自由切换

Lightweight aluminum alloy frame

Foldable for easy transport

Joystick controller with intuitive control system, **easy-to-use**

Durable **rubber tires**, long-lasting for many terrains drive.

Rear wheel drive motors: **brush /brushless** options

Electromagnetic brake

Lithium battery: 24v12ah/24v20ah /24v26ah options

Easy to get in and out of as the **armrests fold up**

Shock absorption springs Offboard charging option

Storage pocket on back of seat **Fully assembled** before shipping.

All the user needs to do is open the box and then drive!



300lb Load Bearing



Foldable for easy transport



Ultralight aluminum alloy frame



Shock absorption springs



Product parameters

整车尺寸	Overall Dimension	37"×25"×37.4"/91*61*95cm
折叠尺寸	Folding Size	25.5"×16"×30.7"/61*40*77cm
座椅尺寸	Seat Size	17"×17"/45*45cm
整车净重	Net Weight	561b /26.5kg
最大负载	Maximum Load	3001b /150kg
电池	Battery	24v-12/20/26ah Lithium Battery
电机	Motor	24V 250w×2
续航里程	Driving Distance	18~40km
爬坡能力	Climbing Capacity	≤13°
最大前进速度	Max Forward Speed	6km
前轮规格	Front Wheel Size	8"
后轮规格	Rear Wheel Size	12"
包装尺寸	Package Size	25.5"×16"×30.7"/67*42*81.5cm



300lb Load Bearing



Foldable for easy transport



Lightweight aluminum alloy frame



Shock absorption springs



Adjustable footrest



Product parameters

整车尺寸	Overall Dimension	37"×25"×46.8"/95*62*105cm
折叠尺寸	Folding Size	26"×17"×32" /62*40*77cm
座椅尺寸	Seat Size	17"×17"/45*45cm
整车净重	Net Weight	61.71b /28kg
最大负载	Maximum Load	300lb /150kg
电池	Battery	24v-12/20/26ah Lithium Battery
电机	Motor	24vdc250w×2
续航里程	Driving Distance	12/20/26km
爬坡能力	Climbing Capacity	≤13°
最大前进速度	Max Forward Speed	6km
前轮规格	Front Wheel Size	8"
后轮规格	Rear Wheel Size	12"
包装尺寸	Package Size	26"×16"×32"/66*42*81.5

MODEL: 600118

ZENITH SAFE



300lb Load Bearing



Foldable for easy transport



Lightweight aluminum alloy frame



Shock absorption springs



Product parameters

整车尺寸	Overall Dimension	37" x 25 x 37.4" / 94*61*95cm
折叠尺寸	Folding Size	25.5" x 16" x 30.7" / 61*40*77cm
座椅尺寸	Seat Size	17" x 17" / 45*45cm
整车净重	Net Weight	58.41b / 26.5kg
最大负载	Maximum Load	300lb / 150kg
电池	Battery	24v-12/20/26ah Lithium Battery
电机	Motor	24V 250w x 2
续航里程	Driving Distance	18~40km
爬坡能力	Climbing Capacity	≤13°
最大前进速度	Max Forward Speed	6km
前轮规格	Front Wheel Size	8"
后轮规格	Rear Wheel Size	12"
包装尺寸	Package Size	25.5" x 16" x 30.7" / 66*42*81.5cm



300lb Load Bearing



Foldable for easy transport



Lightweight aluminum alloy frame



Shockabsorption springs



Product parameters

整车尺寸	Overall Dimension	37"×25"×46.8"/95*62*105cm
折叠尺寸	Folding Size	26"×17"×32"/62*40*77cm
座椅尺寸	Seat Size	17"×17"/45*45cm
整车净重	Net Weight	65lb /29.5kg
最大负载	Maximum Load	300lb /150kg
电池	Battery	24v-12/20/26ah Lithium Battery
电机	Motor	24V 250w×2
续航里程	Driving Distance	18~40km
爬坡能力	Climbing Capacity	≤13°
最大前进速度	Max Forward Speed	6km
前轮规格	Front Wheel Size	8"
后轮规格	Rear Wheel Size	12"
包装尺寸	Package Size	26"×16"×32"/66*42*81.5



300lb Load Bearing



Foldable for easy transport



Sturdy carbon steel material



Shock absorption springs



Product parameters

整车尺寸	Overall Dimension	39.4"×20.4"×40.1"/95*59*83cm
折叠尺寸	Folding Size	29.1"×12.2"×27.1"/38*59*86cm
座椅尺寸	Seat Size	15.3"×15.3"/40*42
整车净重	Net Weight	761b /16.4kg
最大负载	Maximum Load	300lb /150kg
电池	Battery	24v-10ah Lithium Battery
电机	Motor	24V 200w×2
续航里程	Driving Distance	15km
爬坡能力	Climbing Capacity	≤13°
最大前进速度	Max Forward Speed	6km
前轮规格	Front Wheel Size	7"
后轮规格	Rear Wheel Size	11"
包装尺寸	Package Size	17"×24.8"×35.4"/43*63*90cm



300lb Load Bearing



Foldable for easy transport



Lightweight aluminum alloy frame



Shock absorption springs



Product parameters

整车尺寸	Overall Dimension	37" x 25" x 37.4" / 94*61*95cm
折叠尺寸	Folding Size	25.5" x 16" x 30.7" / 61*40*77cm
座椅尺寸	Seat Size	17" x 17" / 45*45cm
整车净重	Net Weight	58.2lb / 26.4kg
最大负载	Maximum Load	300lb / 150kg
电池	Battery	24v-12ah Lead-acid Battery
电机	Motor	24vdc250w X 2
续航里程	Driving Distance	12km
爬坡能力	Climbing Capacity	≤13°
最大前进速度	Max Forward Speed	6km
前轮规格	Front Wheel Size	8"
后轮规格	Rear Wheel Size	12"
包装尺寸	Package Size	25.5" x 16" x 30.7" / 66*42*81.5cm

CARBON STEEL FRAME WHEELCHAIR FEATURES

全智能可坐可躺电动轮椅



高效灵活，经久耐用，操作简单，功能齐全，省时省力，多功能享受

Made from **sturdy carbon steel material**,

with **good load-bearing capacity, safety, reliability, and durability.**

Easy folding structure, facilitating transfer, carrying, and storage.

Battery removal is easy, suitable for charging in various different environments. Economical and practical, widely applicable; a budget-friendly choice

10" front wheels come with shock-absorbing springs, enhancing comfort when driving on uneven roads.

The armrest can flip-up, making it convenient for users to get on and off the wheelchair. Detachable footrest, also making it easy to get on and off the wheelchair.



300h Lead Bearing



Foldable for easy transport



Sturdy carbon steel material



Shock absorption springs



Product parameters

整车尺寸	Overall Dimension	43"x24.4"x37"/110*62*94cm
折叠尺寸	Folding Size	32.7"x16"x30"/81*41*76cm
座椅尺寸	Seat Size	17.7"x17"/45*43cm
整车净重	Net Weight	74.71b /33.9kg
最大负载	Maximum Load	300lb /150kg
电池	Battery	24v-12/20ah Lead-acid Battery
电机	Motor	24V 250w X 2
续航里程	Driving Distance	18~30km
爬坡能力	Climbing Capacity	≤13°
最大前进速度	Max Forward Speed	6km
前轮规格	Front Wheel Size	10"
后轮规格	Rear Wheel Size	16"
包装尺寸	Package Size	32"x17"x31"/82*43*79.5cm



300lb Lead Bearing



Foldable for easy transport



Sturdy carbon steel material



Shock absorption springs



Product parameters

整车尺寸	Overall Dimension	43"×24.5"×46" / 110×62×117cm
折叠尺寸	Folding Size	32"×16"×30" / 81×41×76cm
座椅尺寸	Seat Size	17"×17" / 45×45
整车净重	Net Weight	75.8lb / 34.4kg
最大负载	Maximum Load	300lb / 150kg
电池	Battery	24v-12/20ah Lead-acid Battery
电机	Motor	24V 250w×2
续航里程	Driving Distance	12/20km
爬坡能力	Climbing Capacity	≤13°
最大前进速度	Max Forward Speed	6km
前轮规格	Front Wheel Size	10"
后轮规格	Rear Wheel Size	16"
包装尺寸	Package Size	32"×17"×31" / 82×43×79.5cm

MODEL: 500113

ZENITH SAFE



300h Lead Bearing



Foldable for easy transport



Sturdy carbon steel material



Shock absorption springs



Product parameters

整车尺寸	Overall Dimension	43"x24.4"x46"/110*62*117cm
折叠尺寸	Folding Size	42"x16"x30 /81*41*76cm
座椅尺寸	Seat Size	17"x17"/45*45cm
整车净重	Net Weight	83.5lb /36.9kg
最大负载	Maximum Load	300lb /150kg
电池	Battery	24v-12/20ah Lead-acid Battery
电机	Motor	24V 250w x 2
续航里程	Driving Distance	12/20km
爬坡能力	Climbing Capacity	≤13°
最大前进速度	Max Forward Speed	6km
前轮规格	Front Wheel Size	10"
后轮规格	Rear Wheel Size	16"
包装尺寸	Package Size	32.2"x17"x31.3"/82*43*79.5cm



2000 Lead Battery



Foldable for easy transport



Sturdy carbon steel material



Shock absorption springs



Product parameters

整车尺寸	Overall Dimension	43" x 24.4" x 46" / 110*62*117cm
折叠尺寸	Folding Size	31.5" x 16" x 30" / 81*41*76cm
座椅尺寸	Seat Size	17" x 17" / 45*45cm
整车净重	Net Weight	84.6lb / 38.4kg
最大负载	Maximum Load	300lb / 150kg
电池	Battery	24v-12/20ah Lead-acid Battery
电机	Motor	24V 250w X 2
续航里程	Driving Distance	12/20km
爬坡能力	Climbing Capacity	≤13°
最大前进速度	Max Forward Speed	6km
前轮规格	Front Wheel Size	10"
后轮规格	Rear Wheel Size	16"
包装尺寸	Package Size	32" x 17" x 31" / 82*43*79.5cm

MODEL: 500131

ZENITH SAFE



300lb Load Bearing



Foldable for easy transport



Sturdy carbon steel material



Shock absorption springs



Product parameters

整车尺寸	Overall Dimension	43"×24.4"×37"/110*62*94cm
折叠尺寸	Folding Size	32.7"×16"×30"/83*41*76cm
座椅尺寸	Seat Size	17"×17"/45*45cm
整车净重	Net Weight	79.1lb /35.9kg
最大负载	Maximum Load	300lb /150kg
电池	Battery	24v-12/20ah Lead-acid Battery
电机	Motor	24V 250w×2
续航里程	Driving Distance	12/20km
爬坡能力	Climbing Capacity	≤13°
最大前进速度	Max Forward Speed	6km
前轮规格	Front Wheel Size	10"
后轮规格	Rear Wheel Size	16"
包装尺寸	Package Size	33"×17"×31"/84*43*79.5cm



300lb Load Bearing



Foldable for easy transport



Sturdy carbon steel material



Shock absorption springs



Product parameters

整车尺寸	Overall Dimension	43"×24.4"×37"/110*62*94cm
折叠尺寸	Folding Size	32.7"×16"×30"/83*41*76cm
座椅尺寸	Seat Size	17"×17"/45*45cm
整车净重	Net Weight	64.81b /29.4kg
最大负载	Maximum Load	300lb /150kg
电池	Battery	24v-12/20ah Lead-acid Battery
电机	Motor	24V 250w×2
续航里程	Driving Distance	12/20km
爬坡能力	Climbing Capacity	≤13°
最大前进速度	Max Forward Speed	6km
前轮规格	Front Wheel Size	12"
后轮规格	Rear Wheel Size	8"
包装尺寸	Package Size	33"×17"×31"/84*43*79.5cm



300lb
1000 Lbs Bearing



Foldable for easy transport



Sturdy carbon steel material



One click Switch Mode



Product parameters

整车尺寸	Overall Dimension	43"×24.4"×37"/110*62*94cm
折叠尺寸	Folding Size	32.7"×16"×30"/83*40*73cm
座椅尺寸	Seat Size	17"×17"/45*45cm
整车净重	Net Weight	87.31b /39.6kg
最大负载	Maximum Load	300lb /150kg
电池	Battery	24v-12ah Lead-acid Battery
电机	Motor	24V 250w×2
续航里程	Driving Distance	12km
爬坡能力	Climbing Capacity	≤13°
最大前进速度	Max Forward Speed	6km
前轮规格	Front Wheel Size	8"
后轮规格	Rear Wheel Size	12"
包装尺寸	Package Size	33"×17"×30" /84*42*76cm



300h Lead Battery



Foldable for easy transport



Sturdy carbon steel material



Shock absorption springs



Product parameters

整车尺寸	Overall Dimension	43.3"×24"×35.4"/110*61*90cm
折叠尺寸	Folding Size	29"×17.3"×28.7"/73.5*44*73cm
座椅尺寸	Seat Size	17"×17"/45*45cm
整车净重	Net Weight	66.35lb /30.1kg
最大负载	Maximum Load	300lb /150kg
电池	Battery	24v-20ah Lead-acid Battery
电机	Motor	24V 250w×2
续航里程	Driving Distance	12/20km
爬坡能力	Climbing Capacity	≤13°
最大前进速度	Max Forward Speed	6km
前轮规格	Front Wheel Size	12"
后轮规格	Rear Wheel Size	8"
包装尺寸	Package Size	29.3"×18"×30"/74.5*46*76.5cm



300h Low Noise



Foldable for easy transport



Sturdy carbon steel material



Shock absorption springs



Product parameters

整车尺寸	Overall Dimension	43.3"×24.4"×34.6"/110*62*88cm
折叠尺寸	Folding Size	28.3"×14.5"×27.2" 172*37*69cm
座椅尺寸	Seat Size	17"×17"/45*45cm
整车净重	Net Weight	66.57lb /30.2kg
最大负载	Maximum Load	300lb /150kg
电池	Battery	24v-12/20ah Lead-acid Battery
电机	Motor	24V 250w×2
续航里程	Driving Distance	12/20km
爬坡能力	Climbing Capacity	≤13°
最大前进速度	Max Forward Speed	6km
前轮规格	Front Wheel Size	8"
后轮规格	Rear Wheel Size	12"
包装尺寸	Package Size	28.3"×14.5"×27"/72*37*69cm



300lb Load Bearing



Foldable for easy transport



Sturdy carbon steel material



Shock absorption springs



Product parameters

整车尺寸	Overall Dimension	49.6"×27"×37.8"/126*68*96cm
折叠尺寸	Folding Size	34"×22"×28.5"/86*55*72.5cm
座椅尺寸	Seat Size	17.7"×17.7"/45*45
整车净重	Net Weight	661b /29.9kg
最大负载	Maximum Load	3001b /150kg
电池	Battery	24v-12/20ah Lead-acid Battery
电机	Motor	24V 350w×2
续航里程	Driving Distance	25km
爬坡能力	Climbing Capacity	≤13°
最大前进速度	Max Forward Speed	6km
前轮规格	Front Wheel Size	10"
后轮规格	Rear Wheel Size	24"
包装尺寸	Package Size	34"×22.4"×30"/87*57*76cm

MODEL: 500161

ZS ZENITH SAFE



300lb Load Bearing



Foldable for easy transport



Sturdy carbon steel material



Shock absorption springs



Product parameters

整车尺寸	Overall Dimension	46"×26.8"×37"/117*68*94cm
折叠尺寸	Folding Size	33.8"×16.7"×30"/86*42.5*76cm
座椅尺寸	Seat Size	17.7"×17.7"/45*45
整车净重	Net Weight	761lb /34.5kg
最大负载	Maximum Load	300lb /150kg
电池	Battery	24v~12/20ah Lead-acid Battery
电机	Motor	24V 250w×2
续航里程	Driving Distance	25km
爬坡能力	Climbing Capacity	≤13°
最大前进速度	Max Forward Speed	6km
前轮规格	Front Wheel Size	10"
后轮规格	Rear Wheel Size	22"
包装尺寸	Package Size	34"×17.5"×31.3"/87*44.5*79.5cm



300lb Load Bearing



Foldable for easy transport



Sturdy carbon steel material



Shock absorption springs



Product parameters

整车尺寸	Overall Dimension	35.4"×27.1"×35" /90*69*89cm
折叠尺寸	Folding Size	29.5"×15.3"×27.1" /75*39*69cm
座椅尺寸	Seat Size	16.9"×16.5" /43*42
整车净重	Net Weight	76lb /29.5kg
最大负载	Maximum Load	300lb /150kg
电池	Battery	24v-12/20ah Lead-acid Battery
电机	Motor	24V 250w×2
续航里程	Driving Distance	15-20km
爬坡能力	Climbing Capacity	≤13°
最大前进速度	Max Forward Speed	6km
前轮规格	Front Wheel Size	7"
后轮规格	Rear Wheel Size	11"
包装尺寸	Package Size	34.2"×17.5"×31.2" /87*44.5*79.5cm

CARBON FIBER SUPER LIGHTWEIGHT WHEELCHAIR FEATURES

碳纤维超轻智能轮椅



轻巧耐用，智能便捷，舒适高效，提供卓越出行体验

15KG without battery, Super compact and lightweight, lighter than most of electric wheelchairs in the market, easy to transport and store, making it a great **travel companion**.

Easy to fold, fits **most airplane** overhead compartments.

Allowing users to navigate through **tight** spaces and around obstacles with ease. suitable for **indoor use**, such as homes, offices, and shopping centers.

Weight capacity of **300 lbs**, offering both durability and reliability for your mobility needs. Adopt advanced Control System, **Intelligent** Braking System.

Powerful **brushless** motor with smaller turning radius, guarantee the user flexible and **friendly driving experience**.

MODEL: 7001

ZS ZENITH SAFE



300lb
300lb Load Bearing



Foldable for easy transport



Carbon Fiber Super lightweight



Shock absorption springs



Product parameters

整车尺寸	Overall Dimension	33.85"x24.5"x36.6"/86*57*93cm
折叠尺寸	Folding Size	24.4"x12.6"x28.3"/57*32*72cm
座椅尺寸	Seat Size	16.5"x15.7"/42*40cm
整车净重	Net Weight	30.8lb /14.9kg
最大负载	Maximum Load	150kg
电池	Battery	24v-10ah Lithium Battery
电机	Motor	24V 200w×2
续航里程	Driving Distance	15km
爬坡能力	Climbing Capacity	≤13°
最大前进速度	Max Forward Speed	6km
前轮规格	Front Wheel Size	7"
后轮规格	Rear Wheel Size	10"
包装尺寸	Package Size	22.8"x13.4"x30"/58*34*76cm

MODEL: 700221

ZENITH SAFE



3000 Load Bearing



Foldable



Carbon Fiber Super



Shockproof Spring



Product parameters

整车尺寸	Overall Dimension	35.82"x22"x33.46" / 91*56*85cm
折叠尺寸	Folding Size	36.2"x9"×27.5" / 92*23*70cm
座椅尺寸	Seat Size	17.7"×16.9"/45*43cm
整车净重	Net Weight	31.741 / 14.4kg
最大负载	Maximum Load	100kg
电池	Battery	24v-7.5ah Lithium Battery
电机	Motor	24V 200w×2
续航里程	Driving Distance	15km
爬坡能力	Climbing Capacity	≤13°
最大前进速度	Max Forward Speed	6km
前轮规格	Front Wheel Size	6.5"
后轮规格	Rear Wheel Size	11"
包装尺寸	Package Size	36.6"x9.8"x11.8" / 93*25*74cm



300lb Load Bearing



Foldable for easy transport



Carbon Fiber Super Intweight



Shock absorption springs



Product parameters

整车尺寸	Overall Dimension	35.8"×23.8"×36.6"/91*60.5*93cm
折叠尺寸	Folding Size	13.4"×22.8"×29.1"/34*58*74cm
座椅尺寸	Seat Size	17.7"×15.7"/45*40cm
整车净重	Net Weight	32.18lb /14.6kg
最大负载	Maximum Load	100kg
电池	Battery	24v-7.8ah Lithium Battery
电机	Motor	24V 200w×2
续航里程	Driving Distance	15km
爬坡能力	Climbing Capacity	≤13°
最大前进速度	Max Forward Speed	6km
前轮规格	Front Wheel Size	7"
后轮规格	Rear Wheel Size	8"
包装尺寸	Package Size	13.7"×23.6"×30.7"/35*60*78cm

ULTRA LIGHT ALUMINUM WHEELCHAIR FEATURES

便携式折叠超轻智能轮椅



小巧轻便，智能灵活，舒适出行，方便携带

16.5KG without battery. **Ultra light** and compact unique design, ideal for easy transport and travel.

150w×2 brushless electromagnetic motors,with advanced torque system, can deliver maximum power when going up steep inclines.

Brushless joystick controller,allowing users to accelerate easily and smoothly, move slowly and stop immediately when needed,drive comfort and safe! Swing away footrests are easy to remove and lock back into place.

Mostversatile design for all terrain use

Easy to get in and out the armrests height can be adjusted to be level with the seat.

MODEL: 600221

ZENITH SAFE



300b Lead Bearing



Portable for Easy Transport



Sturdy carbon steel material



Shock absorption springs



Product parameters

整车尺寸	Overall Dimension	36.6"×13"×36.6" / 93*60*90cm
折叠尺寸	Folding Size	26"×13"×30" / 86*35*56cm
座椅尺寸	Seat Size	15"×17" / 40*43cm
整车净重	Net Weight	38.516 / 20.34kg (含电池1.76kg)
最大负载	Maximum Load	300lb / 150kg
电池	Battery	24v-10ah Lithium Battery
电机	Motor	24V 200w×2
续航里程	Driving Distance	15km
爬坡能力	Climbing Capacity	≤13°
最大前进速度	Max Forward Speed	6km
前轮规格	Front Wheel Size	6.7"
后轮规格	Rear Wheel Size	10.6"
包装尺寸	Package Size	27"×13.5"×31" / 58*38*79.5cm



300lb Load Bearing



Portable for Easy Transport



sturdy carbon steel material



Shock absorption springs



Product parameters

整车尺寸	Overall Dimension	42"x25"x36.6"/91*58*90cm
折叠尺寸	Folding Size	30"x14.5"x14"/90*30*90cm
座椅尺寸	Seat Size	17.7"x17"/42*40cm
整车净重	Net Weight	36.41/116.5kg
最大负载	Maximum Load	250lb /150kg
电池	Battery	24v10ah Lead-acid Battery
电机	Motor	24V 200w X 2
续航里程	Driving Distance	15km
爬坡能力	Climbing Capacity	≤13°
最大前进速度	Max Forward Speed	6km
前轮规格	Front Wheel Size	6.7"
后轮规格	Rear Wheel Size	11.8"
包装尺寸	Package Size	31"x14.5"x29"/58*38*79.5cm



300lb Load Bearing



Foldable for easy transport



sturdy carbon steel material



Shock absorption springs



Product parameters

整车尺寸	Overall Dimension	41.7"×24.4"×36.2"/106*62*92cm
折叠尺寸	Folding Size	24.4"×14.5"×32.3"/62*37*82cm
座椅尺寸	Seat Size	15.7"×15"/40*38cm
整车净重	Net Weight	45lb /20.4kg
最大负载	Maximum Load	300lb /150kg
电池	Battery	24v-6.6/10ah Lithium Battery
电机	Motor	24V 250w×2
续航里程	Driving Distance	10~15km
爬坡能力	Climbing Capacity	≤13°
最大前进速度	Max Forward Speed	6km
前轮规格	Front Wheel Size	8"
后轮规格	Rear Wheel Size	12"
包装尺寸	Package Size	26.4"×15.3"×34.8" /67*39*88.5cm



300lb Load Bearing



Foldable for easy transport



Sturdy carbon steel material



Shock absorption springs



Product parameters

整车尺寸	Overall Dimension	39.4"×20.4"×40.1"/100*52*102cm
折叠尺寸	Folding Size	29.1"×12.2"×27.1"/74*31*69cm
座椅尺寸	Seat Size	15.3"×15.3"/39*39
整车净重	Net Weight	761b /20.5kg
最大负载	Maximum Load	300lb /150kg
电池	Battery	24v-10ah Lithium Battery
电机	Motor	24V 200w×2
续航里程	Driving Distance	15km
爬坡能力	Climbing Capacity	≤13°
最大前进速度	Max Forward Speed	6km
前轮规格	Front Wheel Size	7"
后轮规格	Rear Wheel Size	12"
包装尺寸	Package Size	31.1"×14.7"×29.3"/79*37.5*74.5cm

OPTIONAL PARTS

Aluminum Folding Wheelchair

ZS ZENITH SAFE



OPTIONAL ACCESSORIES



OPTIONAL PARTS

Steel Frame Wheelchair

ZENITH SAFE



pneumatic tire
充气轮胎



solid tyre
实心轮胎



pneumatic tire
充气轮胎-银色



pneumatic tire
充气轮胎-黑色



OPTIONAL ACCESSORIES



Cup holder
杯架



Phone stand
手机架



Phone holder rod
手机支架杆



Umbrella stand
雨伞架



High-pressure pumps
充气泵



Trailer
拖车



Bed pan
便盆



Dining table board
餐桌板



Chain lock
链条锁



shopping basket A
篮子A款



○ Model	JJW-500111	JJW-500131	JJW-500112
○ Unfolded Size	43"x24"x37"	43"x24"x37"	43"x24.5"x46"
○ Folded Size	32.7"x16"x30"	32.7"x16"x30"	32"x16"x30"
○ Seat Size	17"x17"	17"x17"	17"x17"
○ Net Weight	74.7lb	79.1lb	75.8lb
○ Maximum Load	300lb	300lb	300lb
○ shock absorption	Double	Quadruple	Double
○ Battery	24v-12/20 Lead-acid Battery	24v-12/20ah Lead-acid Battery	24v-12/20ah Lead-acid Battery
○ Motor	24V 250w×2	24V 250w×2	24V 250w×2
○ Driving Distance	12/20km	12/20km	12/20km
○ Front Wheel Size	10"	10"	10"
○ Rear Wheel Size	16"	16"	16"
○ Package Size	32"×16"×31"	33"×17"×31"	32"×17"×31"
○ Features	Carbon steel frame	Quadruple shock absorption	High backrest with headrest



JJW-500113

43"x24.4"x46"

42"x16x30"

17"x17"

83.5lb

300lb

Double

24v-12/20ah
Lead-acid Battery

24V 250w×2

12/20km

10"

16"

32.2"×17"×31.3"

Manually adjust
backrest and
footrest



JJW-500114

43"x24.4"x46"

31.5"x16"x30"

17"x17"

84.6lb

300lb

Double

24v-12/20ah
Lead-acid Battery

24V 250w×2

12/20km

10"

16"

32"×17"×31"

Auto adjust
backrest and
footrest



JJW-500151

43"x24.4"x37"

32.7"x16"x30"

17"x17"

87.3lb

300lb

None

24v-12ah
Lead-acid Battery

24V 250w×2

12km

8"

12"

33"×17"×30"

The battery
hangs on both
sides



JJW-500141

43"x24.4"x46"

32.7"x16"x30"

17"x17"

64.8lb

300lb

Double

24v-12/20ah
Lead-acid Battery

24V 250w×2

12/20km

12"

8"

32×17"×31"

Front-wheel
drive



Model	JJW-600221	JJW-600127	JJW-600129
Unfolded Size	36.6"x13"x36.6"	42"x25"x36.6"	41.7"x24.4"x36.2"
Folded Size	26"x16"x30"	30"x14.5"x14"	24.4"x14.5"x32.3"
Seat Size	15"x17"	17.7"x17"	15.7"x15"
Net Weight	38.51b	36.41b	451b
Maximum Load	300lb	300lb	300lb
shock absorption	Double	Double	Double
Battery	24v-10ah Lithium Battery	24v-10ah Lithium Battery	24v-6.6/10ah Lithium Battery
Motor	24V 200w×2	24V 200w×2	24V 250w×2
Dribving Distance	12km	12km	12km
Front Wheel Size	7"	7"	8"
Rear Wheel Size	12"	12"	12"
Package Size	27"×13.5"×31"	31"×14.5"×29"	26.4"×15.3"×34.8"
Features	with pull rod	Cross fold	aluminium alloy wheel hub



JJW-600111

37"x25"x37.4"

25.5"x16"x30.7"

17"x17"

56lb

300lb

Quadruple

24v-12/20/26ah

Lithium Battery

12V 250w×2

12/20/26km

8"

12"

25.5"×16"×30.7"

lightweight
Aluminum frame



JJW-600118

37"x25"x37.4"

25.5"x16"x30.7"

17"x17"

58.4lb

300lb

Quadruple

24v-12/20/26ah

Lithium Battery

24V 250w×2

12/20/26km

8"

12"

25.5"×16"×30.7"

Auto-folding/
Wireless remote
control



JJW-600114

37"x25"x46.8"

26"x17"x32"

17"x17"

61.7lb

300lb

Quadruple

24v-12/20/26ah

Lithium Battery

24V 250w×2

12/20/26km

8"

12"

26"×16"×32"

Auto reclining /
Wireless remote
control



JJW-60183

37"x25"x46.8"

26"x17"x32"

17"x17"

65lb

300lb

Quadruple

24v-12ah

Lithium Battery

24V 250w×2

12km

8"

12"

26"×16"×32"

Auto-folding/
Manual reclining

